
---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---

Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μm]
Date: 6/14/2013 10:56:13 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

Symbology: 2/5 INT
Code Content: 886226477795

User comment:

Evaluation: ISO/IEC 15416, ISO/IEC 16390

Symbol: Pass 3.0/06/670

Selected grade: 2.5 (B)
SRP grade: 3.0 (B)

Decode:				4
Symbol contrast:	84%	min 55%		4
Edge Contrast:	58%	min 15%		4
Modulation:	69%	min 60%		3
Rmin/Rmax:	2%	max 50%		4
Defects:	14%	max 20%		4
Decodability:	80%	min 50%		4
Bar deviation:	-3%			

Optional Parameters

PCS(SC):	0.97	min 0.75		4
Bright value(Rmax):	86%	min 25%		4
Dark value(Rmin):	2%	max 43%		4
PCS(ECMin):	0.91	min 0.75		4
Bright value(Rs):	63%	min 25%		4
Dark value(Rb):	5%	max 32%		4
Bar:	-25%	15%	-100%/+100%	4
Space:	-15%	30%	-100%/+100%	4
P-Value:	-20%	20%	-100%/+100%	4
Mean:		-8%	-100%/+100%	4
Z-Module:		232		
Ratio:	2.960	2.000/3.000		4
CPI:	12.378			

 ---, ---
 ---, --- ---
 Comment: ---

Operator: SC3 User
 Order number: ---
 Aperture: 6 mil, 0.152 mm
 Wavelength: Laser 670 nm
 Unit: Micrometer[μm]
 Date: 6/14/2013 10:56:13 AM
 Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
 Serial Number: 0030.207.106-04723-1

Detailed evaluation:


B = Bar, S = Space, E = Bar + Space
 C = Char, CS = Char set, SCV = Value
 P = P-value, V = Decodability[%]

	B S P	B S V	B S CS	B S SCV	B S
Start	-20% 5% -15%	-15% 95%		10	
88	5% -5% -5%	-5% 5% 86%	-10% 15%	-15% 10% 88	-15% 15%
62	-15% 10% -5%	-15% 10% 89%	0% 0%	-20% 10% 62	-10% 25%
26	-15% 15% 10%	-15% 10% 83%	5% 0%	5% 5% 26	-5% 15%
47	-25% 10% -5%	-5% 10% 86%	-5% 10%	-15% 0% 47	-5% 15%
77	0% -15% -20%	-20% 15% 84%	-20% 30%	-20% 10% 77	-5% -5%
95	5% -15% 20%	-5% 15% 80%	-15% 15%	15% 25% 95	-20% 15%
Stop	5% 20% 5%	-10% 87%		11	

---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---
Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μ m]
Date: 6/14/2013 10:56:13 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

Histogram:



---, ---
---, --- ---
Comment: ---

Operator: SC3 User
Order number: ---
Aperture: 6 mil, 0.152 mm
Wavelength: Laser 670 nm
Unit: Micrometer[μ m]
Date: 6/14/2013 10:56:13 AM
Device: REA ScanCheck 3 (V.1.0.13.2/11942r)
Serial Number: 0030.207.106-04723-1

Barcode reflectance profile:

